

## SPECIFICATION SUBMITTAL SHEET

## LAVATORY SUPPLY CONNECTORS




Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	MAKE SELECTION BELOW
LAVATORY SUPPLY LINE 1/2" FIP x 3/8" COMP.					
-	M1F9	9" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	
H28031	M1F12	12" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	
H28033	M1F16	16" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	
H28034	M1F20	20" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	
H28036	M1F24	24" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	
H28037	M1F30	30" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	
H28038	M1F36	36" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	





NO.	PART	MATERIAL
1	Barb	C46500 Brass
2	Washer	EPDM
3	Nut	Brass
4	Ferrule	304 Stainless Steel
5	Hose	304 Stainless Steel over Reinforced PVC
6	Washer	EPDM
7	Nut	Brass



- PVC Reinforced Inner Core Hose
- Braided Type 304 Stainless Steel
- Stainless Steel Ferrule
- Chrome Plated Brass Nut
- Lead-Free\* Brass Insert
- Individually Labeled and Barcoded

\*Lead Free refers to the wetted surface of pipe, fittings and fixtures in potable water systems that have a weighted average lead content ≤ 0.25% per the Safe Drinking Water Act (Sec. 1417) ammended 1-4-2011 and other equivalent state regulations.

JOB NAME:			
JOB LOCATION:			
CONTRACTOR:	DATE:	ITEM TAG:	
ENGINEER APPROVAL:	DATE:	PART NUMBER:	



## SPECIFICATION SUBMITTAL SHEET

## LAVATORY SUPPLY CONNECTORS




Part #	Model #	Description (Size)	Inner Carton Qty	Master Carton Qty	MAKE SELECTION BELOW
LAVATORY SUPPLY LINE 1/2" FIP x 1/2" FIP					
H28041	M3F12	12" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	
H28040	M3F20	20" LAVATORY SUPPLY LINE (FIP x COMP.)	25	100	





NO.	PART	MATERIAL
1	Barb	C46500 Brass
2	Washer	EPDM
3	Nut	Brass
4	Ferrule	304 Stainless Steel
5	Hose	304 Stainless Steel over Reinforced PVC
6	Washer	EPDM
7	Nut	Brass



- PVC Reinforced Inner Core Hose
- Braided Type 304 Stainless Steel
- Stainless Steel Ferrule
- Chrome Plated Brass Nut
- Lead-Free\* Brass Insert
- Individually Labeled and Barcoded

\*Lead Free refers to the wetted surface of pipe, fittings and fixtures in potable water systems that have a weighted average lead content ≤ 0.25% per the Safe Drinking Water Act (Sec. 1417) ammended 1-4-2011 and other equivalent state regulations.

JOB NAME:			
JOB LOCATION:			
CONTRACTOR:	DATE:	ITEM TAG:	
ENGINEER APPROVAL:	DATE:	PART NUMBER:	_